Tecnia

World-class PSA materials with a new approach

PSA LABEL MATERIALS



TECNIA EUROPE

Global Manufacturing Expertise
Local European Partnership

Global Manufacturing Expertise. Local European Partnership.

Tecnia Europe was established in Poland in 2026, bringing international manufacturing expertise and self-adhesive materials closer to the European label and packaging industry.

Built on decades of industry experience, Tecnia has expanded across Asia, Mexico and Brazil, combining advanced coating technology with a production capacity of up to 50 million m² per month.

Our expertise covers adhesive technologies and materials for a wide range of printing processes and demanding applications.

Close to the European Market

Based in Poland, Tecnia Europe combines global manufacturing capabilities with local flexibility, stock availability, technical support and direct communication.

We focus on consistent performance, reliable supply, suitable adhesive technology and printing compatibility to meet our customers' needs.

Our Focus

Beyond conventional labelstock, our portfolio includes PP, PE and PET films, direct thermal materials, specialty adhesives, wine label papers, digital printing substrates and lamination films.

Our solutions cover everyday labelling, frozen food, logistics, industrial identification and premium packaging.

Our ambition is simple: *to become a reliable, long-term alternative in the European self-adhesive materials market, combining manufacturing strength with technical expertise and personal service.*

Table of contents

APPLICATIONS

Film Labels – Food, Beverage & Personal Care	04
Retail & Weighing Labels	05
Logistics & Shipping Labels	06
Chilled & Frozen Food Labels	07
Short / Medium-Run & Digital Printing Labels	08
Printable Lamination Films	09

PRODUCT RANGE

Stock, MOQ & Delivery Terms	10
Self-Adhesive Films – PP, PE & PET	11–12
Self-Adhesive Papers – Semi-Gloss & Vellum	13
Direct Thermal Papers	14
Direct Thermal PP Films	15
Specialty Films & Papers	16–18
Lamination & Overlaminate Films	19

TECHNICAL INFORMATION

Adhesive Types & Technical Specifications	20
Contact Information	21

BOPP Film Label

PWG6060
PP Synthetic Paper SA Gloss

PTG5060
Clear BOPP SA Gloss

PAG5060
Metallic Silver BOPP SA Gloss

PWG5860
BOPP White Gloss 58 HD SA, delamination-resistant

PWG4060
BOPP White Gloss Lite 40 HD SA, delamination-resistant

- Waterproof
- Durable adhesive
- Top coated for high definition printing







Tecnia

Retail / Pharmaceutical Labelling

AWM70H60TH

TC Direct Thermal Paper, HM

AWM65H60TE

ECO UC Direct Thermal Paper, HM

- Excellent sensitivity
- High barcode readability
- BPA / BPS Free







Logistics / Transportation Labelling

AWS70H60TF

Everyday Thermal Transfer Paper, HM

PWM54H60

PP Synthetic Paper SA Lite Matte, HM


- Super smooth, ideal for TTR printing
- Wax, mixed and resin ribbon compatible
- Tearing resistant, waterproof







Cold Supply Chain



PWMC75F60THY

Direct Thermal PP 75, back-sealing coated, Freeze HM

PWMC95F60THY

Direct Thermal PP 95, back-sealing coated, Freeze HM

- Freezer labels
- Accommodate sub-zero temperatures
- Back sealing coating prevents curling and lifting on corners / edges





Short / Medium-Run Label

PWG6060DU

UV DIJ PP Synthetic Paper SA Gloss

PWG9080IJ

Aqueous Inkjet BOPP White Gloss

- Aqueous Inkjet label
- Premium printing quality
- Instant dry
- Great for quality variable labelling applications








Tecnia

Printable Cold Lamination Film

LM-2028TTG

Clear BOPP Laminate Film Gloss Pro

- BOPP Cold lamination film
- Thermal Transfer Printable







Stock, MOQ & Delivery Terms

GREEN ROWS IN PRODUCT TABLES

STOCK ITEMS

Products we keep on stock

Availability	**From stock**
Marking in tables	**Green row +** STOCK
Delivery	**Based on available stock**

WHITE ROWS IN PRODUCT TABLES

MADE TO ORDER

Produced against your order

Minimum order quantity	**20,000 m²**
Average delivery time	**~3 months**
Counted from	**Order placement**
Stock management	**Possible, based on agreement**


SHIPPED DIRECTLY TO THE CLIENT

DIRECT DELIVERY

Direct delivery orders for the customer

Average delivery time	**~3 months**
Counted from	**Order placement**

Delivery time from order placement



FSC® certification

FSC* **Paper products** – FSC®-certified version available (*on request).

FSC **Glassine liners** – FSC® certified.

How to read the product tables

Each product row shows its supply status in the **SUPPLY** column and by row colour: stock item, made to order.

Delivery times are averages and counted from the date the order is placed. Stock management for made-to-order items is arranged individually, based on agreement. For details please contact your Tecnia Europe representative.

Self-Adhesive Films - PP

Product Range / 11

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
PP WHITE GLOSS														
PWG4060	BOPP White Gloss Lite HD SA,TA1/GTP60	BOPP White Gloss 40 HD	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
PWG6060	BOPP White Gloss SA,TA1/GTP60	BOPP White Gloss 60	TA1	GTP60 FSC	1.53m x6000m	STOCK	√	√			√*1	√*3	√*3	
PWG60H60	BOPP White Gloss SA,TH1/GTP60	BOPP White Gloss 60	TH1	GTP60 FSC		STOCK								
PWG6030CF	BOPP White Gloss SA,TA1/PTF30	BOPP White Gloss 60	TA1	PTF30	1.53m x6000m	STOCK	√	√			√*1		√*3	
PWG5860	BOPP White Gloss HD SA,TA1/GTP60	BOPP White Gloss 58 HD	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
PWG60D60	BOPP White Gloss SA,Washoff,TA2/GTP60	BOPP White Gloss 60	TA2	GTP60 FSC		MOQ 20,000 m² ~3 months								
PWG60AL60	BOPP White Gloss SA,Altemp,TA3/GTP60	BOPP White Gloss 60	TA3	GTP60 FSC		MOQ 20,000 m² ~3 months								
PWG60P60	BOPP White Gloss SA,High Tack,TA5/GTP60	BOPP White Gloss 60	TA5	GTP60 FSC		MOQ 20,000 m² ~3 months								
PP CLEAR														
PTG5060	BOPP Clear Gloss SA,TA1/GTP60	BOPP Clear Gloss 50	TA1	GTP60 FSC	1.53m x6000m	STOCK	√	√			√*1	√*3	√*3	
PTG50H60	BOPP Clear Gloss SA,TH1/GTP60	BOPP Clear Gloss 50	TH1	GTP60 FSC		MOQ 20,000 m² ~3 months								
PTG5030CF	BOPP Clear Gloss SA, TA1/PTF30	BOPP Clear Gloss 50	TA1	PTF30	1.53m x6000m	STOCK	√	√			√*1		√*3	
PTG50D60	BOPP Clear Gloss SA,Washoff,TA2/GTP60	BOPP Clear Gloss 50	TA2	GTP60 FSC		MOQ 20,000 m² ~3 months								
PP WHITE MATTE														
PWM54H60Y	BOPP White Matte Lite SA,TH1/GYP60	BOPP White Matte 54	TH1	GYP60 FSC		STOCK								
PWM7560	BOPP White Matte SA,TA1/GTP60	BOPP White Matte 75	TA1	GTP60 FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√*1	√*3	√*3	
PWM9560	BOPP White Matte SA,TA1/GTP60	BOPP White Matte 95	TA1	GTP60 FSC		STOCK								
PWM54H60	PP Synthetic Paper SA Lite Matte,HM	54µ TC White Matte BOPP	TH1	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√*1	√*3	√*3	
PP METALLIC & HOLOGRAPHIC														
PAG5060	BOPP Metallic Silver Gloss SA,TA1/GTP60	BOPP Metallic Silver Gloss 50	TA1	GTP60 FSC	1.53m x6000m	STOCK	√	√				√*3	√*3	
PHPS5060	BOPP Holographic SA,TA1/GTP60	BOPP HoloGraf 50	TA1	GTP60 FSC	1.53m x6000m	STOCK	√	√			√*1			
PAG5030CF	Metallic BOPP SA Gloss,CF	50µ TC Aluminium Plated BOPP	TA1	30µ Clear PET	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√					√*3	

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Self-Adhesive Films - PE & PET

Product Range / 12

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
PE FILMS														
EWG8060	PE White Gloss Corona SA,TA1/GTP60	PE White Gloss 80	TA1	GTP60 FSC	1.07/1.53m x6000m	MOQ 20,000 m² ~3 months	√*4	√*4			√*1			
ETG8060	PE Clear Gloss Corona SA,TA1/GTP60	PE Clear Gloss 80	TA1	GTP60 FSC	1.07/1.53m x6000m	MOQ 20,000 m² ~3 months	√*4	√*4			√*1			
EWG8560TC	PE White Gloss Top Coated SA,TA1/GTP60	PE White Gloss 85,TC	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
ETG8560TC	PE Clear Gloss Top Coated SA,TA1/GTP60	PE Clear Gloss 85,TC	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
EAG100U60TC	PE Metallic Silver Gloss Top Coated,TA1/GTP60	PE Silver Gloss 100	TU1	GTP60 FSC		MOQ 20,000 m² ~3 months								
PET FILMS														
TWM55S80	Polyester Film SA Matte	55µ TC White Matte Polyester Film	TS1	80gr White Glassine FSC	1.07/1.53m x3000m	MOQ 20,000 m² ~3 months	√	√	√		√*1	√*3	√*3	
TWG50S80	Polyester Film SA Gloss	50µ TC White Gloss Polyester Film	TS1	80gr White Glassine FSC	1.07/1.53m x3000m	MOQ 20,000 m² ~3 months	√	√	√*2		√*1	√*3	√*3	
TAM55S80	Metallic Polyester Film SA Matte	55µ TC Metallic Matte Polyester Film	TS1	80gr White Glassine FSC	1.07/1.53m x3000m	MOQ 20,000 m² ~3 months	√	√	√		√*1	√*3	√*3	
TAG50S80	Metallic Polyester Film SA Gloss	50µ TC Metallic Gloss Polyester Film	TS1	80gr White Glassine FSC	1.07/1.53m x3000m	MOQ 20,000 m² ~3 months	√	√	√*2		√*1	√*3	√*3	
TAM55S60	PET Metallic Silver Matte,TS1/GTP60	PET Silver Matte 55	TS1	GTP60 FSC		MOQ 20,000 m² ~3 months								
TAG50S60	PET Metallic Silver Gloss,TS1/GTP60	PET Silver Gloss 50	TS1	GTP60 FSC		MOQ 20,000 m² ~3 months								

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Self-Adhesive Papers - Semi-Gloss & Vellum

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
SEMI-GLOSS & VELLUM PAPERS														
AWS8060Y	Semi Gloss Paper 80 SA , TA1/GYP60	Art Paper Semi Gloss 80 FSC*	TA1	GYP60 FSC		STOCK								
AWS80H60Y	Semi Gloss Paper 80 SA , TH1/GYP60	Art Paper Semi Gloss 80 FSC*	TH1	GYP60 FSC	1.53m x6000m	STOCK	√	√	√*1		√	√	√*3	
AWS80PH60Y	Semi Gloss Paper 80 SA ,High Tack, TH2/GYP60	Art Paper Semi Gloss 80 FSC*	TH2	GYP60 FSC		STOCK								
AWS8030CF	Semi Gloss Paper 80 SA , TA1/PTF30	Art Paper Semi Gloss 80 FSC*	TA1	PTF30	1.53m x6000m	STOCK	√	√	√*1		√	√	√*3	
AWS64P60Y	Semi Gloss Paper 64 SA ,High Tack, TA5/GYP60	Art Paper Semi Gloss 64 FSC*	TA5	GYP60 FSC		MOQ 20,000 m² ~3 months								
AWM70H60Y	Vellum Paper 70 SA,TH1/GYP60	Vellum Paper Matte 70 FSC*	TH1	GYP60 FSC		STOCK								
AWM7060Y	Vellum Paper 70 SA,TA1/GYP60	Vellum Paper Matte 70 FSC*	TA1	GYP60 FSC		STOCK								
AWM70H60TFY	Vellum Paper 70 TTR SA,TH1/GYP60	Vellum Paper Matte TTR 70 FSC*	TH1	GYP60 FSC		MOQ 20,000 m² ~3 months								
AWS8060	Art Paper SA Semi-gloss	80gr Semi-Gloss Art Paper FSC*	TA1	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√*1		√	√	√*3	
AWS80H60	Art Paper SA Semi-gloss,HM	80gr Semi-Gloss Art Paper FSC*	TH1	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√*1		√	√	√*3	
AWM70H60	White Matte Woodfree paper , HM	70gr Wood-Free Paper FSC*	TH1	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√			√			
METALLIC ART PAPER														
AAG8060	Art Paper Metallic Silver Gloss, TA1/GTP60	Art Paper Silver Gloss 80 FSC*	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Direct Thermal Papers

Product Range / 14

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
DIRECT THERMAL PAPERS														
AWM70H60THY	Direct Thermal Paper TOP SA,TH1/GYP60	Therm DT Paper 70 FSC*	TH1	GYP60 FSC	1.53m x6000m	STOCK	√	√		√				
AWM70F60THY	Direct Thermal Paper TOP SA FRZ,TH3/GYP60	Therm DT Paper 70 FSC*	TH3	GYP60 FSC		STOCK								
AWM70H60TEY	Direct Thermal Paper ECO SA ,TH1/GYP60	Therm ECO DT Paper 70 FSC*	TH1	GYP60 FSC		STOCK								
AWM7060TEY	Direct Thermal Paper ECO SA ,TA1/GYP60	Therm ECO DT Paper 70 FSC*	TA1	GYP60 FSC		STOCK								

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Direct Thermal PP Films

Product Range / 15

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
DIRECT THERMAL PP FILMS														
PWM75H60THY	Direct Thermal PP SA,TH1/GYP60	Therm DT BOPP 75	TH1	GYP60 FSC		MOQ 20,000 m² ~3 months								
PWM95H60THY	Direct Thermal PP SA,TH1/GYP60	Therm DT BOPP 95	TH1	GYP60 FSC		MOQ 20,000 m² ~3 months								
PWM75F60THY	Direct Thermal PP SA ,TH3/GYP60	Therm DT BOPP 75	TH3	GYP60 FSC		STOCK								
PWM95F60THY	Direct Thermal PP SA ,TH3/GYP60	Therm DT BOPP 95	TH3	GYP60 FSC	1.53m x6000m	STOCK	√	√		√				
PWMC75F60THY	Direct Thermal PP SA,Barrier Coated,TH3/GYP60	Therm DT BOPP 75 ,Barrier Coated	TH3	GYP60 FSC		STOCK								
PWMC95F60THY	Direct Thermal PP SA,Barrier Coated,TH3/GYP60	Therm DT BOPP 95 ,Barrier Coated	TH3	GYP60 FSC		STOCK								
PTM75U60TH	Direct Thermal PP Clear SA ,TU1/GTP60	Therm DT BOPP Clear 75	TU1	GTP60 FSC		STOCK								
PWM75H60TH	Direct Thermal Synthetic Paper ,HM	75µ White Matte DT BOPP (Top Barrier)	TH1	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√		√				
PWM75F60TH	Direct Thermal Synthetic Paper ,Freeze HM	75µ White Matte DT BOPP (Top Barrier)	TH3	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√		√				

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Specialty Films & Papers

Product Range / 16

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
TYRE LABEL MATERIALS														
PWM75L80	BOPP White Matte SA,TH4/GTP80	BOPP White Matte 75	TH4	GTP80 FSC		MOQ 20,000 m² ~3 months								
PWG60L80	BOPP White Gloss SA,TH4/GTP80	BOPP White Gloss 60	TH4	GTP80 FSC		MOQ 20,000 m² ~3 months								
TWG50L80	Polyester Film Silver Gloss SA,TH4/GTP80	PET Silver Gloss 50	TH4	GTP80 FSC		MOQ 20,000 m² ~3 months								
AWAS100L80	Art Paper Semi gloss Silver Back SA,TH4/GTP80	Art Paper Semi gloss Blockout 100 FSC*	TH4	GTP80 FSC		MOQ 20,000 m² ~3 months								
SEALING & WASH-OFF FILMS														
PPBB90TS2	TECFilm White BOPP Sealing 90/TS2/GTP80	90µ TC White Gloss BOPP	TS2	80gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√	√	√*3	
PPTB80TS2	TECFilm Clear BOPP Sealing 80/TS2/GTP80	80µ TC Clear Gloss BOPP	TS2	80gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√	√	√*3	
PPBB60TA2	TECFilm White BOPP Washoff 60/TA2/GTP60	60µ TC White Gloss BOPP	TA2	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√	√*3	√*3	
PPTB50TA2	TECFilm Clear BOPP Washoff 50/TA2/GTP60	50µ TC Clear Gloss BOPP	TA2	60gr White Glassine FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√	√*3	√*3	

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Specialty Films & Papers

Product Range / 17

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
DIGITAL PRINTING MATERIALS														
PWG6060DU	UV Inkjet BOPP White Gloss, TA1/GTP60	UV Inkjet BOPP White Gloss 60	TA1	GTP60 FSC	1.53m x6000m	STOCK	√	√	√		√	√	√*3	
PTG5060DU	UV Inkjet BOPP Clear Gloss, TA1/GTP60	UV Inkjet BOPP Clear Gloss 50	TA1	GTP60 FSC	1.53m x6000m	MOQ 20,000 m² ~3 months	√	√	√		√	√	√*3	
PWG9060IJ	Aqueous Inkjet BOPP White Gloss, TA1/GTP60	Aqueous Inkjet BOPP White Gloss 90	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
AWG9060IJ	Aqueous Inkjet Paper Gloss, TA1/GTP60	Aqueous Inkjet Paper Gloss 90 FSC*	TA1	GTP60 FSC		MOQ 20,000 m² ~3 months								
PWG9080IJ	Aqueous Inkjet BOPP White Gloss SA	90µ Heavy TC White Gloss BOPP	TA1	80gr White Glassine FSC	1.07m x3000m	MOQ 20,000 m² ~3 months								√
AWG10880	Aqueous Inkjet Paper SA Gloss	108gr Cast Coated White Matte Paper FSC*	TA1	80gr White Glassine FSC	1.07m x3000m	MOQ 20,000 m² ~3 months								√
WINE LABEL PAPERS														
ABL100TU1-T-1A	Wine Label Beige Tintoretto,TU1/GTP60	Wine Label Beige Tintoretto FSC*	TU1	GTP60 FSC		STOCK								
ABL100TU1-TE-1A	Wine Label Beige Embossed Tintoretto,TU1/GTP60	Wine Label Beige Embossed Tintoretto FSC*	TU1	GTP60 FSC		STOCK								
APL90TU1-DE-2A	Wine Label Pearl Dot Embossed,TU1/GTP60	Wine Label Pearl Dot Embossed FSC*	TU1	GTP60 FSC		STOCK								
AWL95TU1-A-3A	Wine Label White Angers,TU1/GTP60	Wine Label White Angers FSC*	TU1	GTP60 FSC		STOCK								
AWL95TU1-AE-3A	Wine Label White Embossed Angers,TU1/GTP60	Wine Label White Embossed Angers FSC*	TU1	GTP60 FSC		STOCK								

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Specialty Films & Papers

Product Range / 18

CODE	NAME / CONSTRUCTION	FACE STOCK	ADHESIVE	LINER	JUMBO SIZE	SUPPLY	Flexo / Offset	Gravure	Thermal Transfer	Direct Thermal	UV Inkjet	Laser / Toner	HP Indigo	Aqueous Inkjet
NON-ADHESIVE THERMAL CARDBOARD														
PATD125	Thermal Card Board 125gsm	Direct Thermal Card 125g FSC*	Non-adhesive	—		MOQ 20,000 m² ~3 months								
PATD180	Thermal Card Board 180gsm	Direct Thermal Card 180g FSC*	Non-adhesive	—		MOQ 20,000 m² ~3 months								
SPECIAL LAMINATES & MULTI-LAYER MATERIALS														
PPTHM220	PP Fruit / Garden Tag - Flexo / Direct Thermal	Direct Flexo/DT Film	—	—		STOCK								
AWS806060	Piggyback Semi-Gloss Paper - Two-Layer Construction	Piggyback Art Paper Semi Gloss 80 FSC*	TA1x2	GTP60x2 FSC		MOQ 20,000 m² ~3 months								

*Printing legend: *1 Test before use | *2 Mixed or resin ribbon only | *3 R2R printer only | *4 Corona treatment requested before printing. Blank cells = no verified data provided.*

Availability: *Green row = stock item* *White row = made to order: MOQ 20,000 m², average delivery ~3 months from order, stock management possible by agreement | Direct delivery orders to customer: ~3 months*

FSC®: FSC* *paper face stock – FSC®-certified version available on request* FSC *FSC®-certified glassine liner* *See page 10 for full ordering terms.*

Lamination & Overlaminate Films

Product Range / 19

CODE	MATERIAL / CONSTRUCTION	FACE FILM THICKNESS	TOTAL THICKNESS	ADHESIVE	LINER	ROLL SIZE
LMP-2333TTG	TECLam Clear PET Gloss	23 µm	TBC	TA4	/	1.55 x 6000m
LM-1837WLV	BOPP Lamination Velvety Touch Matte	18 µm	TBC	TA4	12µ Clear PET	1.26 x 1000m
LM-2533G	TECLam Clear BOPP Gloss Plus	25 µm	TBC	TA4	/	1.26/1.6 x 6000m
LM-2535M	TECLam Clear BOPP Matte Plus	25 µm	TBC	TA4	/	1.26/1.6 x 6000m
LM-1927G	TECLam Clear BOPP Gloss Lite	19 µm	TBC	TA4	/	1.26/1.6 x 9000m
LM-1927M	TECLam Clear BOPP Matte Lite	19 µm	TBC	TA4	/	1.26/1.6 x 9000m
LM-2028TTG	Clear BOPP Laminate Film Gloss Pro	20 µm ± 2 µm	TBC	Permanent (8 ± 1 µm)	/	1.26 × 6000 m

Total thickness: TBC = awaiting manufacturer confirmation.

APPLICATION COMPATIBILITY

CODE	SOURCE APPLICATION MARKS
LMP-2333TTG	TTR printable | General smooth prints | Digital prints | Fine UV prints
LM-1837WLV	TTR printable | General smooth prints | Digital prints | Soft film prints | Fine UV prints
LM-2533G	General smooth prints | Digital prints | Soft film prints | Fine UV prints
LM-2535M	General smooth prints | Digital prints | Soft film prints | Fine UV prints
LM-1927G	General smooth prints | Digital prints (*1)
LM-1927M	General smooth prints | Digital prints (*1)
LM-2028TTG	Paper labels | Film labels | Digital prints* | Screen prints* | Food contact | TTR printable

Technical symbols and applicability should be checked against printing equipment and operating conditions.

Adhesive Types & Technical Specifications

SYMBOL	TYPE OF ADHESIVE	MIN. APPLICATION TEMP.	SERVICE TEMPERATURE
EMULSION ACRYLIC			
TA1	Emulsion Acrylic TA1 (film)	5 °C	-20 to 80 °C
TA1	Emulsion Acrylic TA1 (paper)	0 °C	-20 to 80 °C
TA2	Emulsion Acrylic Washoff TA2 (film)	5 °C	-20 to 80 °C
TA1	Emulsion Acrylic Altemp TA1 (film)	-10 °C	-30 to 90 °C
TA1	Emulsion Acrylic Altemp TA1 (paper)	-10 °C	-30 to 90 °C
TA4	Emulsion Acrylic Short term Remv	—	—
TA5	Emulsion Acrylic High Tack (film)	10 °C	-10 to 80 °C
HOT MELT			
TH1	Hot Melt TH1 (for film)	5 °C	-20 to 80* °C
TH1	Hot Melt TH1 (for paper)	0 °C	-20 to 80* °C
TH3	Freeze Hot Melt TH3 (for film)	-25 °C	-50 to 60 °C
TH3	Freeze Hot Melt TH3 (for paper)	-25 °C	-50 to 60 °C
TH2	EXtack Hot Melt TH2 (for film)	0 °C	-20 to 70 °C
TH2	EXtack Hot Melt TH2 (for paper)	0 °C	-20 to 70 °C
TH4	Hot Melt Tyre TH4 (for film)	0 °C	-30 to 70 °C
TH4	Hot Melt Tyre TH4 (for paper)	0 °C	-30 to 70 °C
UV RUBBER & SOLVENT ACRYLIC			
TU1	UV Rubber Adhesive TU1	0 °C	-30 to 80 °C
TU2	UV Rubber Adhesive(Remv) TU2	0 °C	-30 to 80 °C
TU3	Extack UV Adhesive High Tack TU3	—	—
TS1	Solvent Acrylic TS1 for Film	0 °C	-20 to 120* °C
TS2	Solvent Acrylic(Repos) TS2 for Film	5 °C	-20 to 80 °C
TS3	Solvent Acrylic(Remv) TS3 for Film	5 °C	-30 to 80 °C

Technical limits: TH1 on direct-thermal materials: max. +60 °C. TS1 on PP / PE: −10 to +90 °C. "—" = data not supplied.

Tecnia

World-class PSA materials with a new approach

www.tecniaeurope.com

TECNIA EUROPE

Aleksandra Puszkina 80 92-516 Łódź, Poland

Tel: +36 30 202 3354

info@tecniaeurope.com

TECNIA LABEL MEXICO

Priv. Revolucion 8b, Col. Sanctorum Cuautlancingo, Puebla CP 72730, Mexico

Tel: +52 2224 69 13

ventas.mx@tecniapsa.com

TECNIA DO BRASIL LTDA.

Estrada Municipal Remigio Olivotti 1208 Bairro do Barreiro, Extrema – MG Brazil

Tel: +55 115107-1414

brasil@tecniapsa.com

TECNIA ASIA CO., LIMITED

HONG KONG HEADQUARTERS

RM B3, 19/F, Tung Lee Comm Building 91–97 Jervois Street Sheung Wan, Hong Kong, China

Tel: +852 2134 9719

tecnia@tecniapsa.com